



Birdie 750 RAL 9010 White

Flexible recycling piece made of resistant Swedish steel. Available in 11 standard colours and delivered with specially designed symbols for easy sorting. Birdie is made in two sizes and holds 43 L (Birdie 500) and 63 L (Birdie 750). Both have soft closing lids and inlets in stable quality plastic. Birdie is available as floor standing and wall mounted, with matching wall brackets.

Birdie has received many international awards thanks to its unique shape and good design.

Sustainability & Material

Frame in powder coated steel made in Sweden, consists of 20 % recycled materials. The steel is 100 % recyclable. The powder coating is a good environmental choice as no solvents are used. The lid inlet is in plastic and marked according to ISO 11469 for recycling. It can easily be removed for cleaning and is dishwasher safe. The lid in the closed position prevents odor and works in an upright position as a splash protection. Birdies thought through design makes it easy to empty.






Frame: Powder-coated steel plate.

Lid: Powder-coated Aluminium.

Shaft, wall mount and footplate: Powder-coated steel sheet.


How to order your Birdie:

<p>1.</p>  <p>The designer recommends → In setups that combine both Birdie 750 and 500. Birdie 750 should be on the far left and the footplate should be the same colour.</p>	<p>2.</p> 	<p>3.</p>  <p>Waste shelf Moisture protection</p>
<p>Choose frame 500 (43 L) / 750 (63 L): Birdie Floor or Birdie Wall. Birdie Floor must be ordered with footplate 1, 2 or 3.</p>	<p>Choose symbol. Ø150 mm, white or anthracite.</p>	<p>Choose accessories: Waste shelf or moisture protection.</p>

Birdie Floor, 500 (43 L) and 750 (63 L), incl. shaft

Colour	Birdie 500	Birdie 750
RAL 9010 White	33110101	33110201
RAL 7032 Warm Grey	33110120	33110220
RAL 7016 Anthracite	33110104	33110204
RAL 5023 Brilliant blue	33110121	33110221
RAL 1013 Pearl white	33110122	33110222
RAL 6013 Olive	33110123	33110223
RAL 6020 Forest green	33110124	33110224
RAL 8014 Chocolate	33110125	33110225
RAL 1017 Saffron	33110126	33110226
RAL 3014 Old pink	33110127	33110227
RAL 3005 Wine red	33110128	33110228

Any RAL colour at additional cost, contact TreCe.




Suitable waste bags for Birdie:
Birdie 750, 63 L: 85–125 L
Birdie 500, 43 L: 35–70 L

Birdie Wall, 500 (43 L) and 750 (63 L) incl. wall mount

Colour	Birdie 500	Birdie 750
RAL 9010 White	33120101	33120201
RAL 7032 Warm Grey	33120122	33120220
RAL 7016 Anthracite	33120104	33120204
RAL 5023 Brilliant blue	33120121	33120221
RAL 1013 Pearl white	33120122	33120222
RAL 6013 Olive	33120123	33120223
RAL 6020 Forest green	33120124	33120224
RAL 8014 Chocolate	33120125	33120225
RAL 1017 Saffron	33120126	33120226
RAL 3014 Old pink	33120127	33120227
RAL 3005 Wine red	33120128	33120228

Any RAL colour at additional cost, contact TreCe.



Suitable waste bags for Birdie:
Birdie 750, 63 L: 85–125 L
Birdie 500, 43 L: 35–70 L

Frame: Powder-coated steel plate.


Lid: Powder-coated Aluminium.

Shaft, wall mount and footplate: Powder-coated steel sheet.

Birdie Colours



Birdie Symbol Ø 150 mm, white or anthracite



Colour	Art.nr											
White	33900101	33900201	33900301	33900401	33900601	33900501	33900701	33901001	33901101	33901201	33901301	33900901
Anthracite	33900104	33900204	33900304	33900404	33900604	33900504	33900704	33901004	33901104	33901204	33901304	33900904

Contact TreCe if you want other symbols or text in other languages.

Birdie Footplate 1, 2 and 3

Colour	Footpl. 1	Footpl. 2	Footpl. 3
RAL 9010 White	33210101	33210201	33210301
RAL 7032 Warm Grey	33210120	33210220	33210320
RAL 7016 Anthracite	33210104	33210204	33210304
RAL 5023 Brilliant blue	33210121	33210221	33210321
RAL 1013 Pearl white	33210122	33210222	33210322
RAL 6013 Olive	33210123	33210223	33210323
RAL 6020 Forest green	33210124	33210224	33210324
RAL 8014 Chocolate	33210125	33210225	33210325
RAL 1017 Saffron	33210126	33210226	33210326
RAL 3014 Old pink	33210127	33210227	33210327
RAL 3005 Wine red	33210128	33210228	33210328

Any RAL colour at additional cost, contact TreCe.



Waste shelf round, adjustable height 150-270 mm.



Birdie Moisture Protection Bottom, fits both Birdie 500 and 750. Can be placed with or without the waste shelf.

Accessories

Name	Dimensions	Colour	Art no.
Birdie plastic bag 85 L	85 L, 25 pcs	Transparent	33700100
Birdie moisture protection	Ø 300, H 220	Transparent	33700200
Waste shelf, standing H 150-270 mm	Ø 265, H 150	Anthracite	33700304



The lid can be easily removed for cleaning and is dishwasher safe. The lid in the closed position prevents odours and provides splash protection in the open position.

Birdie's clever design makes it easy to empty.



QUICK INFO.

Content	Certification TreCe	Certification TreCe
Environmental & social aspects	ISO 9001:2015	ISO 14001:2015
Country of manufacture	Recycled material	
Sweden	Yes, 20 % frame	



SVHC/ECHA's candidate list

No chemicals included in ECHA's candidate list of SVHC may be contained in levels of >0.1 % by weight in the components, parts or chemicals that are included or used in the manufacturing of the furniture/product. See <http://echa.europa.eu/en/candidate-list-table>

Metal – frame, foot plate and lid

The frame and foot plate consist of cold-rolled steel plate and are manufactured in Sweden. In the production of steel blanks, 20 % recycled material is used together with iron raw material ore (80 %). The steel plate meets the requirements in Table 1. The lid is made of aluminium due to that it weighs only a third of what steel weighs. In this way, it becomes more gentle for the user to lift the lid. The aluminium used in the lid meets the requirements in Table 1.

Table 1: Requirements metal

Requirements	Complies
Metal that will have prolonged contact with skin (e.g. armrests) must not consist of alloys containing nickel, chromium III or chromium VI.	X

Powder coating

Birdie is painted with powder coating which provides both environmental and quality benefits as no solvents need to be added and the amount of waste is very small. In addition, the powder coating gives a durable and stylish finish. Fulfilled requirements are shown in tables 2 and 3. Safety data sheets according to REACH CLP-regulation no1272/2008 are sent on request.

Table 2: Requirements surface treatment

Requirements	Complies
The content of aromatic solvents / hydrocarbons in surface treatment products / preparations may not exceed 1.0 % by weight.	X
Surface treatment with preparations containing VOC may have a maximum applied VOC component of 60 g / m ² for office / public / outdoor environment.	X

Table 3: Hazard class and hazard statement according to Regulation 1272/2008

Hazard category	Hazard statement according to regulation 1272/2008	Complies
Acute toxicity	H300, H301, H310, H311, H330, H331	X
Toxic to body organs	H370, H371, H372, H373	X
Carcinogenic	H350, H351	X
Mutagenic	H340, H341	X
Toxic for reproduction	H360, H361, H362	X
Allergenic	H334	X
Dangerous to the environment	H400, H410, H411, H412, H413 If the use of surface treatment products is required for technical reasons, products labelled as dangerous to the environment (H400, H410, H411, H412, H413) may be acceptable if the content of environmentally hazardous substance <14 g/per m ² of surface.	X
Hazardous to the ozone layer	H420	X

Sustainability

Plastic

Birdie's lid consists of the plastic type ABS and meets the requirements for plastic, see table 4. To facilitate the sorting of plastic varieties during material recycling, we have permanently marked the lid with the plastic type according to ISO 11469.

Tabell 4: Requirements plastic

Requirements	Complies
Plastic parts >50 grams are permanently marked according to ISO 11469	X
Free from PVC (polyvinyl chloride)	X
Softeners/phthalates classified as hazard classification H360 have not been actively added or that the measured level does not exceed 0.1% by weight/substance and component.	X
Short-chain chlorinated paraffins (SCCPs) must not be actively added or that the measured level must not exceed 0.01% by weight/substance and component.	X
The following flame retardants have not been actively added or that the measured level does not exceed 0.1% by weight/substance and component.	X
Polybrominated biphenyls (PBBs) CAS-nr: 59536-65-1	
Decabromodiphenyl ether (dekaBDE) CAS-nr: 1163-19-5	
Pentabromodiphenylether (pentaBDE) CAS-nr: 32534-81-9	
Oktabromdiphenylether (oktaBDE) CAS-nr: 32536-52-0	
Tris (2,3-dibrompropyl) phosphate (TBPP) CAS-nr: 126-72-7	
Tris (1-aziridinyl) phosphine oxide (TEPA) CAS-nr: 5455-55-1	
Hexabromocyclododecane (HBCDD) CAS-nr: 25637-99-4	
Tris (2 chloroethyl) phosphate (TCEP) CAS-nr: 115-96-8	
No pigments containing lead, cadmium, tin, chromium VI or mercury have not been actively added or that the measured level does not exceed 0.01% by weight per component.	X

Social responsibility

We have ensured that this product is manufactured under good conditions, ie. with regard to social and ethical issues such as working conditions, human rights, labour, environment and corruption. We have sent these requirements to our suppliers and subcontractors, who have each certified that they are followed. A summary is shown in Table 5 and applies to the entire manufacture process of a product and it's components. The starting point is the UN guidelines on the "Code of Conduct" and Möbelfakta's requirements for Social Responsibility are formulated on the basis of the UN's Global Compact. As well as conditions for social and ethical considerations regarding tax irregularities and illegal labour. The principles are based on below;

- UN Universal Declaration of Human Rights
- Rio Declaration on Environment and Development
- International Labour Organization (ILO) eight core conventions on human and labour rights
- UN Convention against Corruption
- Work environment requirements based on ILO conventions on health and safety

Tabell 5: Summary requirements for social responsibility

Requirements	Complies
Legislation The furniture and its components must be manufactured in accordance with national legislation.	X
Human Rights Producers, manufacturers and suppliers operations must comply with human rights.	X
Working conditions Wages, child labour, conditions of employment, working hours, benefits, penalties, freedom of association, forced labour and discrimination.	X
Working environment The company must constantly strive to improve the working environment and workplace safety for its employees.	X
Environment Identify environmental impact, work actively with environmental issues and involve staff. Procedures for law compliance must be in place and followed up.	X
Anti-corruption No form of extortion, corruption, bribery or favoritism to or from employees or organizations is tolerated.	X
Tax irregularities /fraud In addition to the statutory obligations applicable to the employees concerned, shall also anti-labour and tax fraud are applied, such as illegal workers.	X
Undeclared/illegal labour No undeclared/illegal labour shall be hired to preform product manufacturing.	X

Quality and circular solutions

This product has been designed for user environments such as public environments and offices, as well as a long service life. Extending the life of a product is a benefit to the climate and the user.

What is a circular solution?

A linear economy also called wear and tear has a major impact on our climate, materials are taken in, a product is manufactured, used and disposed of. We need to re-think as this is not sustainable from a resource and climate point of view. One solution is a circular economy that takes advantage of all the steps and resources, including that materials and products should have as long a lifetime as possible and that nothing should end up as just trash. To extend the life of a product, circular solutions are used such as the opportunity to repaint, repair or renovate instead of buying a brand new product. Welcome to contact TreCe for more information on circular solutions.

Table 6: Quality and general information

Aspect	
Design	Studio Doms
Product guarantee	2 years*
Product information/maintenance	Yes, sent with product
Recyclable	Yes, all parts can be recycled
Circular solutions (Repaint, repair, refurbish)	Yes, contact us for more information

***Warranty:** The warranty is valid from the delivery date of the product. Invoice/order number must be provided for the warranty to be valid. The warranty does not apply to products that have been stored or assembled incorrectly, used in an inappropriate or improper manner, altered in appearance/function or cleaned with an incorrect cleaning method or cleaning products. The warranty does not cover shipping damage, normal wear and tear, scratches, marks or damage caused by impact or accident. The warranty does not cover products that have been placed outdoors or in a damp environment, or products that have been used for purposes other than those for which they are intended.

For products intended for outdoor use, the above-mentioned humid environment does not apply, but the warranty period is halved for products installed within 200 metres of a coastal environment. The warranty does not apply to outdoor products that develop surface corrosion over time as this is purely aesthetic and can be corrected with touch-up paint.

General care instructions

Metal

Wipe with a slightly damp, soft lint-free cloth and mild detergent. Always wipe dry with a dry cloth. Never use solvents on painted metal nor any abrasive cleaners/ materials.